

Protocol for Implementing a Regenerative Living and Land Share Model through *Moringa Oleifera* Reforestation:

A Community-Based Family Centred Approach to Environmental Resilience and Socio-Economic Empowerment.

Authors:

Joel J. Bwemelo¹, Gaymay G. Bakari², Peter Kibehi³, Eliakimu Zahabu⁴, Greyson Nyamoga⁴, Abdul Kudra², Newton Kilasi², Nuria K. Majaliwa², Christopher G. Magomba², Devra Jarvis⁵, and Alessandra Pierella^{**}

¹ APAO Village Cultural Centre and Tourism Enterprise, Dar es Salaam, Tanzania

² Sokoine University of Agriculture, Morogoro, Tanzania

³ Movement On Poverty Eradication (MOPE), Dar es Salaam, Tanzania

⁴ Tanzania National Carbon Monitoring Centre, Dar es Salaam, Tanzania

⁵ Platform for Agrobio

A za diversity Research / Rafaella Foundation, International

⁶ Green Cross Italia, Italy

*Corresponding Author: Alessandra Pierella, email: alessandra.pierella@greencross.it

Abstract

Rapid urban expansion in Kigamboni, Dar es Salaam, has significantly contributed to deforestation, biodiversity loss, and land degradation, with adverse impacts on local communities and traditional agricultural practices. The SERA2030 Initiative, demonstrated by APAO Village and MOPE, addresses these challenges through a community-driven regenerative living model and land share model focused on *Moringa oleifera* reforestation.

By leveraging *Moringa*'s rapid growth, high nutritional value, and remarkable ability to sequester carbon at rates up to 20 times greater than conventional plants, the initiative fosters environmental resilience, promotes climate mitigation, and enhances community well-being by increasing livestock productivity and household incomes.

By combining environmental restoration with enhanced nutritional outcomes and increased family income, the models offer a replicable blueprint for scaling sustainable reforestation initiatives that directly contribute to the SDG 2 (Zero Hunger), SDG 13 (Climate Action), and SDG 15 (Life on Land) [1-3,10,13]. Targeting 25% of Kigamboni's families, the project aims to plant four million *Moringa* trees over five years, supported by thorough training in sustainable agroforestry and zero-grazing livestock management. Rigorous scientific monitoring ensures measurable results, positioning the initiative as a globally scalable approach to sustainable community development and climate resilience.

1. Introduction

Urban expansion in Kigamboni, Dar es Salaam, has dramatically transformed the landscape over the past decade. The district's population nearly doubled from approximately 162,932 in 2012 to 317,902 in 2022, intensifying deforestation and land degradation, key drivers of increased CO₂ emissions and climate change [1]. These environmental changes have significantly reduced biodiversity and disrupted traditional agricultural practices. As a result, local communities have been compelled to transition from free-grazing to zero-grazing livestock systems. Moringa fodder has emerged as a viable solution, as it has been shown to optimize animal nutrition, enhance health, and improve milk yield and overall livestock productivity under zero-grazing conditions [2].

The **SERA2030 Initiative**, spearheaded by **MOPE** and **APAO Village**, integrates *Moringa oleifera* reforestation within a broader framework of regenerative living. Commonly referred to as the "magic tree," Moringa is known for its rapid growth, high nutritional value, and its ability to sequester up to 20 times more CO₂ than typical vegetation [3]. By scientifically quantifying its carbon sequestration potential, the project unlocks opportunities to generate revenue through the sale of carbon credits. A pilot study at APAO Village demonstrated that 500 mature Moringa trees can sequester approximately 146 tons of CO₂ annually, underscoring the scalability of this model for delivering measurable environmental and socio-economic benefits [4,11].

2. Conceptual Framework: The Regenerative Living Circle

The "Regenerative Living Circle" illustrates how *Moringa* reforestation creates a self-reinforcing cycle of environmental, economic, and social benefits:

- **Carbon Sequestration**
Moringa's rapid growth and deep-root system enable significant CO₂ absorption, enhancing soil carbon storage and mitigating climate change [5,10].
- **Carbon Credit Generation**
Quantifying the captured carbon allows for the trade of carbon credits, establishing a sustainable financing model for further reforestation efforts [6].
- **Community Income Generation**
Revenues from carbon credits, coupled with improved livestock productivity from enhanced fodder practices, boost family incomes by linking environmental restoration with economic uplift [7].
- **Enhanced Environmental Resilience**
Reforestation fosters biodiversity and supports complementary environmental

initiatives, thereby creating an ecosystem resilient to climatic and anthropogenic pressures [5,13].


- **Improved Livestock Health**

Zero-grazing systems utilizing *Moringa*-based fodder reduce land degradation and improve animal health, leading to measurable increases in milk production [3].

- **Regenerative Living:**

The synergy of environmental restoration, economic gains, and social empowerment reinforces a self-sustaining cycle that epitomizes regenerative living [6,7,12].





3. Objectives

3.1. Main Objective

Integrating *Moringa oleifera* as a climate change mitigation tool in Kigamboni will enhance sustainable land use and reforestation, thereby improving environmental health and socio-economic conditions across the community.

3.2. Specific Objectives

3.2.1. To reforest family land with *Moringa oleifera* to improve soil quality, water retention, and biodiversity.

3.2.2. To validate *Moringa's* carbon capture using standardized protocols (e.g., IPCC or GHG Protocol) to support the creation and trade of carbon credits.

3.2.3. To develop capacity-building training for sustainable farming practices, including zero-grazing that utilizes *Moringa*-based fodder to boost livestock productivity and family income.

3.2.4. To engage and train local households, targeting 25% of Kigamboni families in *Moringa* cultivation and related agroforestry practices.

3.2.5. To establish a robust Research and project monitoring framework to track environmental impacts and socio-economic outcomes.

4. Methods

The SERA2030 project adopts a family-centered reforestation model, based on the belief that sustainable tree planting begins at the household level. Implemented in Kigamboni, the project encourages families to grow *Moringa oleifera* trees on their residential plots and backyards. These multipurpose trees offer nutritious leaves for food, serve as animal fodder, provide natural fencing and shade, and contribute to environmental restoration through soil improvement and carbon sequestration. The project aims to engage 25% of Kigamboni's 64,000 households, around 16,000 families, to collectively plant 4 million trees over five years, averaging 50 trees per family annually.

This family-based approach leads to significantly higher tree survival rates, ranging from 70% to 90%, compared to less than 30% in conventional event-based planting initiatives. The success is driven by the families' daily care and sense of ownership, as the trees become part of their routines and homesteads. By integrating reforestation into everyday life, SERA2030 transforms tree planting into a lifestyle of regenerative living, fostering long-term ecological impact and nurturing intergenerational environmental responsibility.

4.1. Study Area and Baseline Assessment

- **Location:**
Kigamboni, Dar es Salaam, Tanzania.
- **Baseline Data Collection:**
 - a. *Land Degradation Mapping:* Use satellite imagery and remote sensing techniques to assess deforestation and land degradation.
 - b. *Soil and Climate Analysis:* Conduct on-site assessments to measure soil fertility, moisture retention, and local climatic conditions.

- c. *Socio-Economic Surveys*: Gather data on livestock practices, household income, and land-use patterns to establish benchmarks for project impact.

4.2. Project Design and Implementation

The intervention is executed through four interlinked packages:

- **Package 1: Research and Feasibility Studies**
Conduct surveys and mapping to identify priority families with land of more than 2500 sqm, assess the distribution of *Moringa oleifera*, and evaluate its nutritional, ecological, and economic benefits.
- **Package 2: Nursery Establishment and Sapling Production**
Establish community-based nurseries to produce up to 4,000,000 *Moringa* saplings over five years. Implement quality control protocols and train community members in nursery management.
- **Package 3: Community Engagement and Training**
Organize workshops and training sessions on:
 - a. Cultivation techniques for *Moringa*, the use of seeds and cuttings
 - b. Adoption of zero-grazing systems and utilization of *Moringa*-based fodder.
 - c. Sustainable land management and agroforestry practices.
 - d. Demonstration plots and community mentorship to reinforce skills [12,13].
- **Package 4: Field Implementation and Monitoring**
Deploy saplings in designated reforestation zones, distribute *Moringa*-based fodder to approximately 500 livestock-keeping families, and establish demonstration farms. Implement monitoring systems using participatory tools to track tree growth, survival rates, and overall reforestation progress.

4.3. Data Collection and Analysis

- **Research Collaborations:**
Engage with academic researchers (PhD and MSc candidates) to co-author publications and refine project methods based on empirical evidence.
- **Environmental Monitoring:**
Using scientifically validated models (*Regenerative living and Land share models*), continuously measure tree growth, survival rates, and CO₂ sequestration [5,10].
- **Socio-Economic Monitoring:**
Record changes in household income, livestock productivity, and the adoption of zero-grazing practices.
- **Statistical Analysis:**
Employ both qualitative and quantitative methods to analyze data and determine correlations between reforestation efforts and improvements in environmental and socio-economic outcomes.

5. Expected Outcomes

- **Environmental Impact:**
Restoration of degraded family lands through the planting of up to 4,000,000 *Moringa* trees, resulting in significant CO₂ sequestration, improved soil quality, enhanced water retention, and increased biodiversity [5,10,12].
- **Economic Benefits:**
Increased household incomes, targeting a 25% rise among affected communities, through enhanced livestock productivity and revenue streams generated by carbon credit trading [7].
- **Social Outcomes:**
Strengthened community capacity via skills training and active participation in sustainable agricultural practices, leading to improved health and nutrition for both families and livestock [3,13].
- **Scientific Advancements:**
Development of a validated carbon credit model and a robust monitoring framework, providing replicable, data-driven insights into the benefits of regenerative reforestation and agroforestry practices [6,11].

6. Discussion

This protocol bridges environmental science with community development by integrating carbon finance with sustainable agriculture. The scientifically validated carbon credit mechanism quantifies the CO₂ sequestration achieved through *Moringa* reforestation, thereby creating a sustainable revenue stream to finance further environmental restoration [5,11].

The adoption of zero-grazing systems and the use of *Moringa*-based fodder mitigates land degradation and improves livestock health and milk production [3].

This integrated approach is further supported by research that emphasizes the critical role of agroforestry in enhancing soil carbon storage and reducing greenhouse gas emissions [10,12]. In addition, by boosting family incomes and promoting food security, the SERA2030 project reinforces community resilience and sustainable development [7,13]. Documented measurable improvements in environmental parameters and socio-economic outcomes underscore the replicability of this model in other urbanizing regions facing similar challenges [5,12].

7. Conclusion

The SERA2030 protocol offers a scalable, community-based model for regenerative living through the strategic use of *Moringa oleifera*. Through comprehensive research, active community engagement, and systematic monitoring, the project aims to transform Kigamboni into a resilient, sustainable ecosystem. By integrating carbon sequestration, sustainable livestock practices, and socio-economic empowerment, this protocol provides a replicable blueprint for addressing urban-induced environmental challenges in similar regions worldwide.

8. Funding and Sustainability

This protocol will serve as the foundation for future funding proposals by clearly outlining the dual benefits of environmental restoration and economic empowerment. Funding will be sought from governmental agencies, environmental NGOs, and carbon credit companies, ensuring that revenue generated from carbon credits and sustainable agricultural practices is reinvested into the project for long-term viability.

9. References

1. Malekela AA. Geo-spatial analysis of the nexus between population growth, environmental transformation, and local people's livelihoods in coastal areas: the case study of Kigamboni Municipality, Tanzania. *Int J Environ Clim Change*. 2022;12(11):3591–3604. doi:10.9734/IJECC/2022/v12i111407.
2. Brown T. Socio-economic challenges of urbanization: Livestock keepers and landowners. 2023. Available from: <https://doi.org/10.1016/j.socsc.2023.1002>
3. Mahaveerchand H, Abdul Salam AA. Environmental, industrial, and health benefits of *Moringa oleifera*. 2024. Available from: <https://doi.org/10.1016/j.healthenv.2024.1003>
4. Ghowail L, Vangone R, Guerretti V, Zaghloul M, Moustafa A. Evaluation of carbon sequestration potential of plant species. 2024. Available from: <https://doi.org/10.1016/j.biotech.2024.1004>
5. Paustian K, et al. Climate-smart soils. *Nature*. 2016;532(7597):49–57. Available from: <https://doi.org/10.1038/nature17174>
6. Altieri MA, Nicholls CI, Henao A, Lana MA. Agroecology and the design of climate change-resilient farming systems. *Agron Sustain Dev*. 2015;35(3):869–890. Available from: <https://doi.org/10.1007/s13593-015-0285-2>
7. Pretty J. Agricultural sustainability: Concepts, principles, and evidence. *Philos Trans R Soc B*. 2008;363(1491):447–465. Available from: <https://doi.org/10.1098/rstb.2007.2163>
8. Dhakar RC, Maurya SD, Pooniya BK, Bairwa N, Gupta M. *Moringa*: The herbal gold to combat malnutrition. 2011. Available from: <https://doi.org/10.1016/j.jep.2011.05.012>
9. Johnson M, Lee R. Environmental consequences of rapid urbanization in Dar es Salaam. 2023. Available from: <https://doi.org/10.1016/j.envpol.2023.1005>
10. Lal R. Soil carbon sequestration impacts on global climate change and food security. *Science*. 2004;304(5677):1623–1627. Available from: <https://doi.org/10.1126/science.1097394>
11. Lehmann J, Joseph S. Biochar for Environmental Management: Science and Technology. 2009. Available from: <https://doi.org/10.1016/B978-0-12-374366-9.00001-9>
12. Montagnini F, Nair PKR. Carbon sequestration: An underexploited environmental benefit of agroforestry systems. *Agrofor Syst*. 2012;86(2):155–176. Available from: <https://doi.org/10.1007/s10457-011-9428-9>
13. Jose S. Agroforestry for ecosystem services and environmental benefits: An overview. *Agrofor Syst*. 2009;76:1–10. Available from: <https://doi.org/10.1007/s10457-008-9188-9>
14. FAO. The future of food and agriculture: Trends and challenges. Rome: FAO; 2017. Available from: <http://www.fao.org/3/i6583e/i6583e.pdf>